State Veterans' Homes (SVH) Corrective Action Plan Veterans Home of California – Yountville (VHCY) Domiciliary 09/14/23-09/15/23

Important: Attestation by the SVH leadership, including the SVH nurse leader, of actions to assure timely completion of goals and establishment of oversight to assure continued improvement in areas identified for correction. The Corrective Action Plan (CAP) should include input from all levels of staff and affected resident(s), as is applicable and appropriate, impacted by the issue identified. This CAP is intended to become a source towards Quality Assessment and Assurance.

State the Issue Identify the Regulation and Findings § 51.300 (h) (1) Environment	Address how corrective action will be accomplished for those residents found to be affected by the deficient practice (Actions should align with Quality Assessment and Assurance fundamentals) On 09/14/2023 and 9/15/23, the Veterans	Address how the SVH will identify other residents having the potential to be affected by the same deficient practice	Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur	How does the SVH plan to monitor its performance to make sure that solutions are sustained (Actions should align with Quality Assessment and Assurance)	Proposed Completion Date (i.e. when corrective action will be fully implemented and sustained)
The findings include: The facility policy titled, "Cleaning, Daily	 Home California Yountville (VHCY) Custodian Supervisor II assigned VHCY Housekeepingstaffto clean and completed the following tasks below - Section E E-122 the Women's Restroom and (in the same hallway) the men's restroom Trash Can near smoking area Section C 143 The Shower room 127 The Shower room 118 The Bathroom Hand sanitizer dispenser near kitchen/ Laundry room #114 113 The Shower room Hand sanitizer in Hallway nearthe elevator 	VHCY Chief of Domiciliary and VHCY Hospital Administrative Resident II conducted environmental rounds in other domiciliary buildings. They confirmed that no other bathrooms and shower rooms were deficient. No other residents were affected by this finding.	Using the Cleaning, Daily Restroom, and Shower Room policy, the VHCY Housekeeping Supervisor in-serviced the VHCY Custodians regarding the cleaning procedures. On 10/12/2023, the VHCY Chief of Domiciliary developed a ResidentialCare Specialist (RCS) Monthly Rounds Form to monitor the homelike environment of the Domiciliary buildings. On 10/18/23, the VHCY	or their designee created a tracking system to ensure the restrooms and showerrooms are kept clean. This system monitors the performance and compliance of the staff responsible for cleaning these areas based on RCS rounds. The target goal for compliance is set at 90%, and data will be collected and evaluatedmonthly. The findings	

prevent waterspots. 14. Usingdeck / corner			
brush, scrub floor and corners under fixtures			
and shower stalls16. Mop entire room			
thoroughly, be sure to glide mop along edges			
to clean never push mop against wall" [sic].			
According to the "Resident Bill of Rights,			
California Code of Regulations Title 22,"			
dated February, 2005: "(e) The facility shall			
be clean, sanitary, and in good repair at al			
times."			
1. During an interview, on 9/14/23, at 2:30			
p.m., Resident #8 along with Resident #1,			
Resident #2, Resident #3, Resident #4, and			
Resident #5, voiced the following concerns			
regarding Section E / Washington Hall: •			
Staff have no accountability. The			
staff does the least amount of work to get by.			
They stated it took about a year to get			
someone to thoroughly wash the kitchen			
floor.			
• The cleaners need to clean the			
counters and sink in the bathrooms. The			
floors in the bathrooms need to be cleaned			
better, especially in the corners.			
• In the men's restroom, they need to			
be mopped more often because they tend to			
urinate everywhere.			
Observation of Section E, on 9/14/23,			
starting at 2:45 p.m., and escorted by			
Registered Nurse (RN) C, revealed the			
following:			
• The trash can next to the outside			
resident smokearea had a sticky substance			
and black smudges all over it. The ground			
surrounding the trash can had what appeared			
to be a black, sticky substance on it.			
• The baseboards along the main			
hallway had dirt build-up under the wax.			
• In the women's restroom near			
resident's room 122, there was dirt build-up			
in the corners on the floor.			
• Showers had a white substance,			
possibly soap scum, on the tiled walls and			
tiled floors.			
• In the men's restroom on same hall			
there were traces of yellow stains in the			

comer near the urinal. • The grout in both restrooms was dark and discolored. 2. During an interview, on 9/14/23, at 2:40 p.m., Resident #6 voiced concerns regarding the showerrooms in Section C (Wilson Hall, which were supposed to be cleaned by housekeeping staff daily. According to Resident #6, bathrooms and shower rooms were not sanitary, and the walls behind and the stalls between the toilets were never cleaned. Resident #6 directed the surveyor to observe the condition of Shower Room 143 as an example. Observation of ShowerRoom 143 was madd in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence obtained. The following concerns were identified: • The P-drain pipes under the single countertop of the three (3) In an sinks were heavily coated with dust, and the door to on (1) of the access panels under the countertop was jar with a thick coating of dust around the edges of the door. • The tild wall underthe countertop was visibly soiled, and the grout was discolored. • All su
dark and discolored. 2. During an interview, on 9/14/23, at 2:40 p.m.Resident#6 voiced concerns regarding the showerrooms in Section C/Wilson Hall, which were supposed to be cleaned by housekeeping staff daily. According to Resident #6, bathrooms and shower rooms were not sanitary, and the walls behind and the stalls between the to toilets were never cleaned. Resident #6 directed the surveyor to observe the condition of Shower Room 143 as an example. Observation of ShowerRoom 143 was mad in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence obtained. The following concerns were identified: • The Pd-rain pipes under the single countertop of the three 3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop was ajar with a thick coating of dust around the edges of the door. • The field wall underthe countertop was visibly soiled and the grout was discolored. • All surfaces of the tide walls and metal doors and panels comprising the toilet stalls were visibly soiled as were the safety
 2. During an interview. on 9/14/23, at 2:40 p.m., Resident #6 voiced concerns regarding the showerrooms in Section C Wilson Hall, which were supposed to be cleaned by housekeeping staff daily. According to Resident #6, bathrooms and shower rooms were not sanitary, and the walls behind and the stalls between the toilets were never cleaned. Resident #6 directed the surveyor to observe the condition of Shower Room 143 was made in the company of Resident #6 big concerns were identified: • Observation of Shower Room 143 was made in the company of Resident #6 big concerns were identified: • The P-drain pipes under the single countertop was ajar with a thick coating of dust around the edges of the door. • The tiled wall under the countertop was visibly soiled and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled and the grout was discolored.
p.m. Resident #6 voiced concerns regarding in the showerrooms in Section C / Wilson Hall, which were supposed to be cleaned by housekeeping staff daily. According to Resident #6, bathrooms and shower rooms in the stalls between the toilets were never cleaned. Resident #6 directed the surveyor in the stalls between the toilets were never cleaned. Resident #6 directed the surveyor in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence obtained. evidence obtained. The following concerns in the company of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop wasajar with a thick coating of dust around the edges of the door. in the ide wall under the countertop wasajar with a thick coating of an example. • The tiled wall under the countertop wasajar with a thick coating of an example. in the access panels under the single countertop wasajar with a thick coating of dust around the edges of the door. • The tiled wall under the countertop wasajar with a thick coating of an edges of the door. in thick coating of the tiled walls and metal doors and panels comprising the toileg stals were wishly solide and the grout was isolored.
the showerrooms in Section C / Wilson Hall, which were supposed to be cleaned by housckeeping staff daily. According to Resident #6, bathrooms and shower rooms were not sanitary, and the walls behind and the stalls between the toilets were never cleaned. Resident #6 directed the surveyor to observe the condition of Shower Room 143 as an example. Observation of Shower Room 143 was made in the company of Resident #6 directed the surveyor to observe the following concerns were identified: • The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop wasajar with a thick coating of dust around the degos of the door. • The tieled wall underthe countertop was visibly soled and the grout was discolored. • All surfaces of the tide walls and metal doors and panels comprising the toiled stall doors and panels comprising the toiled stall was to imple. Observation and sinks were heavily to imple. All surfaces of the tide walls and metal doors and panels comprising the toiled stall was the safety.
the showerrooms in Section C / Wilson Hall, which were supposed to be cleaned by housckeeping staff daily. According to Resident #6, bathrooms and shower rooms were not sanitary, and the walls behind and the stalls between the toilets were never cleaned. Resident #6 directed the surveyor to observe the condition of Shower Room 143 as an example. Observation of Shower Room 143 was made in the company of Resident #6 directed the surveyor to observe the following concerns were identified: • The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop wasajar with a thick coating of dust around the degos of the door. • The tieled wall underthe countertop was visibly soled and the grout was discolored. • All surfaces of the tide walls and metal doors and panels comprising the toiled stall doors and panels comprising the toiled stall was to imple. Observation and sinks were heavily to imple. All surfaces of the tide walls and metal doors and panels comprising the toiled stall was the safety.
housekeeping staff daily. According to Resident #6, bathrooms and shower rooms were not sanitary, and the walls behind and the stalls between the toilets were never cleaned. Resident #6 directed the surveyor to observe the condition of Shower Room 143 as an example. Observation of ShowerRoom 143 was made in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence Obtained. The following concerns were identified: • The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop was ajar with a thick coating of dust around the edges of the door. • The tiled wall underthe countertop was visibly solide and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toiled stalls were visibly solided, as were the safety
housekeeping staff daily. According to Resident #6, bathrooms and shower rooms were not sanitary, and the walls behind and the stalls between the toilets were never cleaned. Resident #6 directed the surveyor to observe the condition of Shower Room 143 as an example. Observation of Shower Room 143 was made in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence obtained. The following concerns were identified: • The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop was ajar with a thick coating of dust around the edges of the door. • The tiled wall under the countertop was visibly solided and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly solied, as were the safety
Resident #6, bathrooms and shower rooms were not sanitary, and the walls behind and the stalls between the toilets were never cleaned. Resident #6 directed the surveyor to observe the condition of Shower Room 143 as an example. Observation of ShowerRoom 143 was madd in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence obtained. The following concerns were identified: • The P-drain pipes under the single countertop of the three (3) (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop was visibly soiled and the eges of the door. • The tiled wall underthe countertop was visibly soiled and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, as were the safety
the stalls between the toilets were never cleaned. Resident #6 directed the surveyor to observe the condition of Shower Room 143 as an example. Observation of Shower Room 143 was made in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence obtained. The following concerns were identified: • The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop wasajar with a thick coating of dust around the edges of the door. • The tiled wall under the countertop was visibly soiled and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, as were the safety
the stalls between the toilets were never cleaned. Resident #6 directed the surveyor to observe the condition of Shower Room 143 as an example. Observation of Shower Room 143 was made in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence obtained. The following concerns were identified: • The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop wasajar with a thick coating of dust around the edges of the door. • The tiled wall under the countertop was visibly soiled and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, as were the safety
to observe the condition of Shower Room 143 as an example. Observation of ShowerRoom 143 was made in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence obtained. The following concerns were identified: • The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop wasajar with a thick coating of dust around the edges of the door. • The tiled wall underthe countertop was visibly soiled and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, as were the safety
143 as an example. Observation of ShowerRoom 143 was made in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence obtained. The following concems were identified: • The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop wasajar with a thick coating of dust around the edges of the door. • The tilde wall underthe countertop was visibly soiled and the grout was discolored. • All surfaces of the tilde walls and metal doors and panels comprising the toilet stalls were visibly soiled, as were the safety
Observation of ShowerRoom 143 was made in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence obtained. The following concerns were identified: • The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop was visibly soiled and the edges of the door. • The tiled wall under the countertop was visibly soiled and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, as were the safety
Observation of ShowerRoom 143 was made in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence obtained. The following concerns were identified: • The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop was visibly soiled and the edges of the door. • The tiled wall under the countertop was visibly soiled and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, as were the safety
in the company of Resident #6 beginning at 2:36 p.m., on 9/14/23, with photographic evidence obtained. The following concerns were identified: • The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop was aj ar with a thick coating of dust around the edges of the door. • The tiled wall under the countertop was visibly soiled and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, a s were the safety
 2:36 p.m., on 9/14/23, with photographic evidence obtained. The following concerns were identified: The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop was a jar with a thick coating of dust around the edges of the door. The tiled wall under the countertop was discussed and the grout was discolored. All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, a s were the safety
evidence obtained. The following concerns were identified: • The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop was ajar with a thick coating of dust around the edges of the door. • The tiled wall under the countertop was visibly soiled and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, a s were the safety
 were identified: The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop wasajar with a thick coating of dust around the edges of the door. The tiled wall under the countertop was discolored. All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, a s were the safety
 The P-drain pipes under the single countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop was aj ar with a thick coating of dust around the edges of the door. The tiled wall under the countertop was discolored. All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, a s were the safety
 countertop of the three (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop wasajar with a thick coating of dust around the edges of the door. The tiled wall under the countertop was visibly soiled and the grout was discolored. All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, a s were the safety
 (3) hand sinks were heavily coated with dust, and the door to one (1) of the access panels under the countertop wasajar with a thick coating of dust around the edges of the door. The tiled wall under the countertop was discolored. All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, a s were the safety
dust, and the door to one (1) of the access panels under the countertop wasajar with a thick coating of dust around the edges of the door. • The tiled wall under the countertop was visibly soiled and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, a s were the safety
 panels under the countertop wasajar with a thick coating of dust around the edges of the door. The tiled wall under the countertop was visibly soiled and the grout was discolored. All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, a s were the safety
 thick coating of dust around the edges of the door. The tiled wall under the countertop was visibly soiled and the grout was discolored. All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, a s were the safety
door. • The tiled wall under the countertop was visibly soiled and the grout was discolored. • All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, as were the safety
 was visibly soiled and the grout was discolored. All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, as were the safety
 discolored. All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, as were the safety
 discolored. All surfaces of the tiled walls and metal doors and panels comprising the toilet stalls were visibly soiled, as were the safety
metal doors and panels comprising the toilet stalls were visibly soiled, a s were the safety
stalls were visibly soiled, as were the safety
rails mounted to the panels. The floors of
the toilet stalls were also visibly soiled, and a
build-up of dirt and debris was noted in the
corners.
• The tiled walls and floors of the two
(2) shower stalls were visibly soiled with a
white build-up of soap scum; the tiled floors
of both showers were visibly soiled; the
corners of the stalls had dirt build-up in
them, and the grout was discolored.
• The drain grate of the shower stall
facing the outside wall of the facility had an
accumulation of dried hair and debris in it.
and the corner of the dressing stall where the

shower bench was located contained a large			
build-up of dirt and debris.			
According to Resident #6, the concerns			
identified in Shower Room 143 were			
representative of all the shower rooms in the			
rest of Section C / Wilson Hall.			
The above concerns were subsequently			
shared with RN A and Certified Nursing			
Assistant (CNA) B, at 2:54 p.m., on 9/14/23.			
RN A agreed the shower room was not			
clean. CNAB stated he/she would need to			
submit a work order to have it cleaned.			
The above concerns were also shared to the			
Director of Nursing(DON) at approximately			
4:00 p.m., on 9/14/23, and photographic			
evidence obtained during the tour with			
Resident #6 was shown to the DON and the			
Assistant Director of Nursing (ADON) for			
the Skilled Nursing Facility, who was taking			
notes during the interview. At that time, the			
DON stated Shower Room 143 would be			
thoroughly cleaned.			
Additional observations were made on the			
first floor of Section C in the company of			
RN D, on 9/15/23, as follows, with			
photographic evidence obtained.			
Observation of ShowerRoom 127 began at			
10:33 a.m., on			
9/15/23. RNA and CNAB were present at			
the beginning of this observation and			
reported this shower room had already been			
cleaned. Observations found the following:			
• The tiled walls of both shower stalls			
were visibly soiled with a white build-up of			
soap scum that was easily removed when			
scraped with the surveyor's fingernail.			
• The tiled floors of both shower			
stalls were visibly soiled with a white build-			
up of soap scum, and the grout was			
discolored with an accumulation of dirt and			
debris.			
• The legs of the shower benches,			
which were available for use by any resident,			
were visibly soiled.			
• All surfaces of the tiled walls and			
All suffaces of the theu walls allu			

metaldoors and panels comprising the toilet			
stalls were visibly soiled, as were the safety			
rails mounted to the panels.			
• The bottoms of the metal panels of			
the toilet stalls were pocked with rust.			
• The floors of the toilet stalls were			
visibly soiled, and a build-up of dirt and			
debris was noted in the corners.			
• A heavy accumulation of dust was			
noted along the top edges of the metal panels			
of the toilet stalls.			
• The drain grate of one (1) of the			
tiled showerstalls contained a large wad of			
hair that was easily dislodged with the			
surveyor's shoe.			
Observation of Tub/Toilet Room 118 began			
at 10:40 a.m., on 9/15/23, with the following			
findings:			
• The tiled floor was visibly soiled			
upon entrance to the room, with dried drips			
and splashes observed on the tile.			
• There was a n accumulation of dirt			
and debris in the grout behind the toilet.			
 There was a heavy build-up of soar 			
noted in the tiled soap holder built into the			
wall above the tub. Three (3) miniature			
bottles of liquid personal care products were			
present in the corner of the tub surround.			
Observation of the hand sanitizer dispense			
mounted on the wall in the hallway outside			
of Kitchen Laundry Room 114, at 10:42			
a.m., on 9/15/23, found the drip pan was			
visibly soiled with liquid containing dirt			
particles, debris, and the body of a dead			
insect.			
Observation of Shower Room 113 began at			
10:43 a.m., on $9/15/23$, with the following			
findings:			
• The P-drain pipes under the single			
countertop of the three			
(3) hand sinks were heavily coated with			
dust, and the door to one (1) of the access			
panels under the countertop was ajar, with a			
piece of blue masking tape across the top			
edge of the doorand a thick coating of dust			
around the edges of the door.			
around the edges of the door.	l		

• The tiled wall under the countertop			
was visibly soiled and the grout was			
discolored.			
• The tiled walls and floors of the two			
(2) shower stalls were visibly soiled with a			
white build-up of soap scum; the tiled floors			
of both showers were visibly soiled; the			
corners of the stalls had dirt build-up in			
them, and the grout was discolored.			
• The drain grates of the shower stalls			
contained accumulations of dried hair and			
debris.			
• The legs of the shower benches,			
which were available for use by any resident,			
were visibly soiled.			
• The built-up soap holder in one (1)			
of the shower stalls was visibly soiled with			
soap scum and a dark-colored substance.			
• There was a large cobweb			
containingtrapped dust in the upper corner			
of one (1) of the windows.			
 All surfaces of the tiled walls and 			
metal doors and panels comprising the toilet			
stalls were visibly soiled, as were the safety			
rails mounted to the panels.			
• The bottoms of the metal panels			
were pocked with rust.			
• The floors of the toilet stalls were			
visibly soiled, and a build-up of dirt and			
debris was noted in the corners.			
Observation of the hand sanitizer dispense			
mounted on the wallin the hallway near one			
(1) of the elevators at 10:48 a.m., on 9/15/23.			
found the drip pan was visibly soiled with			
dirt particles and debris.			
The above findings were discussed with the			
DON at approximately 12:15 p.m., on			
9/15/23, with photographic evidence also			
electronically shared with the ADON of the			
Skilled Nursing Facility at that time.			

• This Corrective Action Plan is to be electronically submitted to the Pod-specific National SVH Program Manager for Quality and Oversight